



Contents

3 HAMILTON'S TAPES

MASKING TAPE

- p01 General purpose
 - p02 High temperature
 - p03 Blue painters
-

PACKAGING TAPE

- p04 Clear or Buff
-

DUCT TAPE

- p05 5m and 25m
-

PVC INSULATION TAPE

- p06 130 micron
 - p07 180 micron
-

FILAMENT TAPE

- p08 12 x 40
 - 18 x 40
 - 24 x 40
 - 36 x 40
 - 48 x 40
-

BARRIER TAPE

- p09 75 x 100 (red/white)
 - 75 x 500 (red/white)
-

DOUBLE-SIDED FOAM TAPE

- p10 Badge mount tape
 - Mirror mount tape
 - Foam mounting squares
-

YELLOW REFLECTIVE TAPE

ANTI-SLIP TAPE

- p12 General purpose
- Pool grade

MASKING TAPE

GENERAL PURPOSE

USED FOR NON-CRITICAL INDOOR MASKING APPLICATIONS.



APPLICATION

General INDOOR paint masking.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying masking tape.

REMEMBER

Masking Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.

SIZE	CODE	BARCODE	PACK
BULK			
MASKING TAPE General purpose 12 x 40	A22000	6004765120007	72
MASKING TAPE General purpose 18 x 40	A22001	6004765120014	48
MASKING TAPE General purpose 24 x 40	A22002	6004765120021	36
MASKING TAPE General purpose 36 x 40	A22003	6004765120038	24
MASKING TAPE General purpose 48 x 40	A22004	6004765120045	24
PRE-PACK			
MASKING TAPE General purpose 18 x 40	A22012	6004765120120	24
MASKING TAPE General purpose 24 x 40	A22013	6004765120137	24
MASKING TAPE General purpose 36 x 40	A22014	6004765120144	24
MASKING TAPE General purpose 48 x 40	A22015	6004765120151	24

MASKING TAPE

HIGH TEMPERATURE

SUITABLE FOR HIGH TEMPERATURE INDOOR APPLICATIONS.

APPLICATION

High temperature INDOOR applications up to and not exceeding 80°C for 30 minutes.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying masking tape.

REMEMBER

Masking Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
BULK			
MASKING TAPE High Temp 12 x 40	A22005	6004765120052	72
MASKING TAPE High Temp 18 x 40	A22006	6004765120069	48
MASKING TAPE High Temp 24 x 40	A22007	6004765120076	36
MASKING TAPE High Temp 36 x 40	A22008	6004765120083	24
MASKING TAPE High Temp 48 x 40	A22009	6004765120090	24

MASKING TAPE

BLUE PAINTERS

SUITABLE FOR HIGH TEMPERATURE INDOOR APPLICATIONS.



APPLICATION

Used for INDOOR masking applications.
Will remove easily and cleanly, leaving no adhesive residue.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying masking tape.

REMEMBER

Blue Painters Masking Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

To ensure clean removal of tape, it must be removed within 14 days of application.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.

SIZE

PRE-PACK

SIZE	CODE	BARCODE	PACK
MASKING TAPE - Blue Painters 18 x 50	A22010	6004765120106	24
MASKING TAPE - Blue Painters 24 x 50	A22011	6004765120113	36
MASKING TAPE - Blue Painters 12 x 50	A22016	6004765120168	24
MASKING TAPE - Blue Painters 36 x 50	A22017	6004765120175	36

PACKAGING TAPE

LIGHT TO MEDIUM DUTY

FOR GENERAL SEALING OF CORRUGATED BOXES
AND PACKAGING.

APPLICATION

Used for sealing of cartons and plastic bags. Also used for stationery applications.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying packaging tape.

REMEMBER

Packaging Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
BULK			
PACKAGING TAPE 12 x 50 Buff	A22106	6004765121066	144
PACKAGING TAPE 12 x 50 Clear	A22107	6004765121073	144
PACKAGING TAPE 48 x 40 Buff	A22100	6004765121004	36
PACKAGING TAPE 48 x 40 Clear	A22101	6004765121011	36
PACKAGING TAPE 48 x 50 Buff	A22102	6004765121028	36
PACKAGING TAPE 48 x 50 Clear	A22103	6004765121035	36
PACKAGING TAPE 48 x 100 Buff	A22108	6004765121080	36
PACKAGING TAPE 48 x 100 Clear	A22109	6004765121097	36
PACKAGING TAPE 48 x 1000 Buff	A22104	6004765121042	6
PACKAGING TAPE 48 x 1000 Clear	A22105	6004765121059	6
PRE-PACK			
PACKAGING TAPE 12 x 50 Clear	A22124	6004765121240	32
PACKAGING TAPE 48 x 40 Buff	A22125	6004765121257	36
PACKAGING TAPE 48 x 40 Clear	A22126	6004765121264	36

DUCT TAPE

WATERPROOF TAPE

DESIGNED FOR USE ON VENTILATION DUCTING. ALSO USED FOR PACKAGING, BUNDLING AND PROTECTING AROUND THE HOME, OFFICE OR SPORTSFIELD.



APPLICATION

Waterproof tape used for fixing, protecting, packaging and sealing.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying Duct tape.

REMEMBER

Not for long-term outdoor use.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.

Store tape in a cool, dry and dark place.

SIZE	CODE	BARCODE	PACK
DUCT TAPE 5M - PRE-PACK			
DUCT TAPE - 48 x 5 m Silver	A221127	6004765121271	18
DUCT TAPE - 48 x 5 m Blue	A221128	6004765121288	18
DUCT TAPE - 48 x 5 m Black	A221129	6004765121295	18
DUCT TAPE - 48 x 5 m Olive	A221130	6004765121301	18
DUCT TAPE - 48 x 5 m Red	A221131	6004765121318	18
DUCT TAPE - 48 x 5 m Yellow	A221132	6004765121325	18
DUCT TAPE - 48 x 5 m White	A221133	6004765121332	18
DUCT TAPE 5M - BULK			
DUCT TAPE 48 x 5 m Silver	A22110	6004765121103	30
DUCT TAPE 48 x 5 m Blue	A22111	6004765121110	30
DUCT TAPE 48 x 5 m Black	A22112	6004765121127	30
DUCT TAPE 48 x 5 m Olive	A22113	6004765121134	30
DUCT TAPE 48 x 5 m Red	A22114	6004765121141	30
DUCT TAPE 48 x 5 m Yellow	A22115	6004765121158	30
DUCT TAPE 48 x 5 m White	A22116	6004765121165	30
DUCT TAPE 25M - BULK			
DUCT TAPE 48 x 25 m Silver	A22117	6004765121172	30
DUCT TAPE 48 x 25 m Blue	A22118	6004765121189	30
DUCT TAPE 48 x 25 m Black	A22119	6004765121196	30
DUCT TAPE 48 x 25 m Olive	A22120	6004765121202	30
DUCT TAPE 48 x 25 m Red	A22121	6004765121219	30
DUCT TAPE 48 x 25 m Yellow	A22122	6004765121226	30
DUCT TAPE 48 x 25 m White	A22123	6004765121233	30

INSULATION TAPE

130 MICRON PVC

USED FOR NON-SPECIFIED ELECTRICAL INSULATION APPLICATIONS

APPLICATION

Used for non-specified electrical insulation applications.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying packaging tape.

REMEMBER

Insulation Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
PVC INSULATION TAPE 130 MICRON - BULK			
PVC INSULATION TAPE 9.14m Black	A22200	6004765122001	10 rolls
PVC INSULATION TAPE 9.14m Green	A22201	6004765122018	10 rolls
PVC INSULATION TAPE 9.14m Red	A22202	6004765122025	10 rolls
PVC INSULATION TAPE 9.14m White	A22203	6004765122032	10 rolls
PVC INSULATION TAPE 9.14m Yellow	A22204	6004765122049	10 rolls
PVC INSULATION TAPE 9.14m Blue	A22205	6004765122056	10 rolls
PVC INSULATION TAPE 130 MICRON ELECTRIC - BULK			
PVC INSULATION TAPE 18.28m Black	A22206	6004765122063	10 rolls
PVC INSULATION TAPE 18.28m Green	A22207	6004765122070	10 rolls
PVC INSULATION TAPE 18.28m Grey	A22208	6004765122087	10 rolls
PVC INSULATION TAPE 18.28m Red	A22209	6004765122094	10 rolls
PVC INSULATION TAPE 18.28m White	A22210	6004765122100	10 rolls
PVC INSULATION TAPE 18.28m Yellow	A22211	6004765122117	10 rolls
PVC INSULATION TAPE 18.28m Blue	A22212	6004765122124	10 rolls

INSULATION TAPE

180 MICRON PVC

USED FOR SPECIFIED ELECTRICAL INSULATION APPLICATIONS WHERE FLAME RETARDANT PROPERTIES ARE REQUIRED. PRODUCT IS UL LISTED AND CERTIFIED.



APPLICATION

Used for specified electrical insulation applications where flame retardant properties are required. Product is UL* listed and certified.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying packaging tape.

REMEMBER

Insulation Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.

*UL, or Underwriters Laboratory, is a global independent safety science company offering expertise across five key strategic businesses: Product Safety, Environment, Life and Health, University and Verification Services. Their breadth, established objectivity and proven history mean that they are a symbol of trust and are able to help provide peace of mind to all.

SIZE

PVC INSULATION TAPE 180 MICRON ELECTRIC - BULK

SIZE	CODE	BARCODE	PACK
PVC INSULATION TAPE 20m Black	A22224	6004765122247	10 rolls
PVC INSULATION TAPE 20m Green	A22225	6004765122254	10 rolls
PVC INSULATION TAPE 20m Red	A22226	6004765122261	10 rolls
PVC INSULATION TAPE 20m White	A22227	6004765122278	10 rolls
PVC INSULATION TAPE 20m Yellow	A22228	6004765122285	10 rolls
PVC INSULATION TAPE 20m Blue	A22229	6004765122292	10 rolls

FILAMENT TAPE

GLASS FIBRE REINFORCED

FOR HEAVY DUTY PACKAGING AND BUNDLING.

APPLICATION

Heavy duty packaging and bundling.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying tape.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
BULK			
FILAMENT TAPE 12 x 40	A22213	6004765122131	72
FILAMENT TAPE 18 x 40	A22214	6004765122148	48
FILAMENT TAPE 24 x 40	A22215	6004765122155	36
FILAMENT TAPE 36 x 40	A22216	6004765122162	24
FILAMENT TAPE 48 x 40	A22217	6004765122179	24

BARRIER TAPE

RED & WHITE

USED TO DEMARCATATE WHERE ACCESS IS TEMPORARILY RESTRICTED, AROUND CONSTRUCTION AREAS AND SPORTS EVENTS.



APPLICATION

Demarcation where access is temporarily restricted.

REMEMBER

Clean up and recycle after use.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.

Store tape in a cool, dry and dark place.

SIZE

BULK

BARRIER TAPE 75 x 100
BARRIER TAPE 75 x 500

CODE

A22218
A22219

BARCODE

6004765122186
6004765122193

PACK

10 rolls
10 rolls

DOUBLE-SIDED TAPE

FOAM TAPE

FOR MOUNTING LIGHT MIRRORS, SIGNS AND DECORATIONS.

DOUBLE-SIDED FOAM TAPE - BADGE MOUNT

APPLICATION

Mounting number plates, beadings and badges.

DOUBLE-SIDED FOAM TAPE - MIRROR MOUNT

APPLICATION

Mounting light mirrors, pictures, signs and decorations.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying foam tape.

Apply some pressure to the object being mounted to ensure the bond is made.

REMEMBER

The thickness of the mounting tape is determined by:
 $\text{gap} \times 2 = \text{tape thickness}$.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.
Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
BADGE MOUNT - BULK			
DOUBLE SIDED FOAM TAPE 12mm x 0.8 x 15m	A22220	6004765122209	10
DOUBLE SIDED FOAM TAPE 18mm x 0.8 x 15m	A22221	6004765122216	10
BADGE MOUNT - PRE-PACK			
DOUBLE SIDED FOAM TAPE 18mm x 0.8 x 2m	A22236	6004765122360	18
MIRROR MOUNT - BULK			
DOUBLE SIDED FOAM TAPE 18mm x 1.5 x 25m	A22230	6004765122308	10
DOUBLE SIDED FOAM TAPE 24mm x 1.5 x 25m	A22231	6004765122315	10
DOUBLE SIDED FOAM TAPE 18mm x 3.0 x 20m	A22222	6004765122223	10
DOUBLE SIDED FOAM TAPE 24mm x 3.0 x 20m	A22223	6004765122230	10
MIRROR MOUNT - PRE-PACK			
DOUBLE SIDED FOAM TAPE 24mm x 1.5 x 1m	A22232	6004765122322	36
DOUBLE SIDED FOAM TAPE 24mm x 3 x 0.5m	A22233	6004765122339	36
FOAM MOUNT SQUARE - PRE-PACK			
FOAM MOUNTING SQUARES 24 x 24 x 1.5mm	A22234	6004765122346	48
FOAM MOUNTING SQUARES 24 x 24 x 3mm	A22235	6004765122353	48

REFLECTIVE TAPE

YELLOW

USED TO CREATE REFLECTIVE SURFACES ON VEHICLES.



APPLICATION

Applied to trailers, caravans, cars and trucks to create a reflective surface.
SABS approved.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying tape.

Use a strong detergent to remove wax deposits.

Do not apply tape over joints or pop-rivets.

Sharp corners should be rounded.

REMEMBER

Tape has a pressure-sensitive permanent adhesive system and should be rubbed down to ensure proper adhesion.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.

Store tape in a cool, dry and dark place.

SIZE

BULK
50mm x 50m

PRE-PACK
50mm x 6m

CODE

A22238

A22237

BARCODE

6004765122384

6004765122377

PACK

1

10

ANTI-SLIP TAPE

GENERAL PURPOSE & POOL GRADE

APPLIED TO FLOORS, WALKWAYS, RAMPS AND STAIRS TO
CREATE NON-SLIP SURFACES.

APPLICATION

Applied to floors, walkways, ramps and stairs to create non-slip surfaces.

PREPARATION

Ensure all surfaces are dry and dust-free BEFORE applying tape.

REMEMBER

Tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion.

Do not apply to bare concrete or cement floors - they should be sealed first.

HEALTH, SAFETY AND STORAGE

All products containing chemicals must be handled with care.

Store tape in a cool, dry and dark place.



SIZE	CODE	BARCODE	PACK
ANTI-SLIP - GENERAL PURPOSE - BULK 50mm x 18m	A22240	6004765122407	2
ANTI-SLIP - GENERAL PURPOSE - PRE-PACK 50mm x 3m	A22239	6004765122391	10
ANTI-SLIP - POOL GRADE - BULK 50mm x 18m	A22242	6004765122421	2
ANTI-SLIP - POOL GRADE - PRE-PACK 50mm x 3m	A22241	6004765122414	10